

CURSO PRE-CONGRESO SEFH:
INTRODUCCIÓN A LA ATENCIÓN FARMACÉUTICA AL
PACIENTE CRÓNICO COMPLEJO
(10 de noviembre de 2015, VALENCIA)

BIBLIOGRAFÍA (casi toda de acceso libre)

Además de la aquí citada os recomendamos que reviséis la página web del GRUPO CRONOS pues allí encontraréis más bibliografía que puede ser de vuestro interés y que consideramos importante en el ámbito del paciente crónico.

BIBLIOGRAFÍA CORRESPONDIENTE A LA PONENCIA:
“EL PACIENTE CRÓNICO”

María García-Mina

- **Modelo de Selección y Atención Farmacéutica de Pacientes crónicos de la Sociedad Española de Farmacia Hospitalaria. V10.**
www.sefh.es
- **Plan Estratégico de la SEFH sobre Atención Farmacéutica al Paciente Crónico.** www.sefh.es
- Santos Ramos B, Otero López MJ, Galván Banqueri M, Alfaro Lara ER, Vega Coca MD, Nieto Martín MD, et al. **Modelos de atención al paciente pluripatológico y el papel de la Farmacia Hospitalaria.** Farm Hosp. 2012;36(6):506-517
- Contel JC, et al. **La atención al paciente crónico en situación de complejidad: el reto de construir un escenario de atención integrada.** Aten Primaria. 2011. doi:10.1016/j.aprim.2011.01.013
- Gavilan A. y Villafaina E. **Pacientes polimedcados frágiles, un reto para el sistema sanitario.** Inf Ter Sist Nac Salud 2011; 35: 114-123
- Montes Santiago J, Casariego Vales E, de Toro Santos M, Mosquera E. **La asistencia a pacientes crónicos y pluripatológicos. Magnitud e iniciativas para su manejo: La Declaración de Sevilla. Situación y propuestas en Galicia.** *Galicia Clin* 2012; 73 (Supl.1): S7-S14
- Bernabeu-Wittel M, et al, **Development of a new predictive model for poly pathological patients. The PROFUND index,** Eur J Intern Med (2010), doi:10.1016/j.ejim.2010.11.012
- Boyd CM et al. **Clinical Practice Guidelines and Quality of Care for Older Patients With Multiple Comorbid Diseases**
Implications for Pay for Performance

JAMA, August 10, 2005—Vol 294, No. 6 (Reprinted)

- Alexandra Prados-Torres, Amaia Calderon-Larranaga, Jorge Hanco-Saavedra, Beatriz Poblador-Plou, Marjan van den Akker- **Multimorbidity patterns: a systematic review.** Journal of Clinical Epidemiology 67 (2014) 254-266
- Siobhan Dumbreck, research pharmacist, Angela Flynn, research pharmacist, Moray Nairn, programme manager, Martin wilson, consultan physician for care of elderly, Shaun Treweek, professor of health services research, Stewart W Mercer, professor of primary care research, Phil Alderson, clinical adviser, Alex Thompson, research associate, Katherine Payne, professor of health economics, Bruce Guthrie, professor of primary care medicine. **Drug-disease and drug-drug interactions: systematic examination of recommendations in 12 UK national clinical guidelines.** BMJ 2015;350:h949
- Karine Mangerel, Sophie Armand-Branger, Mounir Rhalimi. **Le pharmacien clinicien face aux syndromes gériatriques.** Journal de Pharmacie Clinique. 2014;33(1):7-19. doi:10.1684/jpc.2014.0274

VALORACIÓN DEL PACIENTE CRÓNICO

Elia Fernández Villalba

- Peris JF, Fernández E, García-Mina M et al. Prestación Farmacéutica Especializada en centros sociosanitarios. Análisis de situación y propuesdta CRONOS – SEFH.
<http://gruposdetrabajo.sefh.es/cronos/images/documentos/PrestacionFarmaceuticaEspecializadaCSS.pdf>
- Cuidados farmacéuticos en personas en situación de dependencia. Aspectos generales y farmacoterapia. Bravo, Montañés y Martínez. Ed. Glosa, 2009.
http://gruposdetrabajo.sefh.es/cronos/images/documentos/Cuidados_Farmacuticos_Aspectos_Generales_y_Farmacoterapia_Vol1.pdf
- Giménez Óscar. Atención centrada en la persona. Un nuevo enfoque. En Portada. 7DM n.º 839, Febrero 2012.
- Teresa Martínez Rodríguez. La atención gerontológica centrada en la persona. Guía para la intervención profesional en los centros y servicios de atención a personas mayores en situación de fragilidad o dependencia. 76- Documentos de Bienestar Social. Departamento de Empleo y Asuntos Sociales, 2011. Ed: Servicio Central de Publicaciones del Gobierno Vasco. ISBN: 978-84-457-3157-4
- Tratado de Geriátría para residentes. Sociedad Española de Geriátría y Gerontología.
- <http://www.segg.es/tratadogeriatria/main.html> (Manual general de

geriatría que ya tiene unos años pero muy útil para iniciarse en el mundo del paciente mayor. Aquí encontraréis en el Anexo I todas las escalas de valoración comentadas en la sesión del curso y muchos otros temas.)

- Documento técnico GNEAUPP nº XI. Escalas e instrumentos de valoración del riesgo de desarrollar úlceras por presión. 2009. www.gneaupp.es/app/adm/documentos-guias/archivos/19_pdf.
- Guía de práctica clínica para el cuidado de personas con úlceras por presión o riesgo de padecerlas. http://www.guiasalud.es/GPC/GPC_520_Ulceras_por_presion_compl.pdf
- Amir Qaseem, MD, PhD, MHA; Tanveer P. Mir, MD; Melissa Starkey, PhD; and Thomas D. Denberg, MD, PhD for the Clinical Guidelines Committee of the American College of Physicians*. Risk Assessment and Prevention of Pressure Ulcers: A Clinical Practice Guideline From the American College of Physicians. *Ann Intern Med.* 2015; 162: 359-69
- National Pressure Ulcer Advisory Panel, European Pressure Ulcer Advisory Panel and Pan Pacific Pressure Injury Alliance. Prevention and Treatment of Pressure Ulcers: Quick Reference Guide. Emily Haesler (Ed.). Cambridge Media: Perth, Australia; 2014.
- Moore ZEH, Cowman S. Risk assessment tools for the prevention of pressure ulcers. *Cochrane Database of Systematic Reviews* 2014, Issue 2. Art. No.: CD006471. DOI: 10.1002/14651858.CD006471.pub3.
- López Miquel J y Martí Agustí G. Mini-Examen Cognoscitivo (MEC). *Rev Esp Med Legal.* 2011;37(3):122-127
- Vicens-Vilanova, J. El test del dibujo del reloj, interpretación de casos. *Rev Esp Med Legal.* 2013;39(2):82-83
- GDS-Reisberg. Las fases de la demencia. <http://www.dementiacarecentral.com/node/1064>
- Functional Assessment Staging Test. <http://www.mccare.com/pdf/fast.pdf>
- Guía de buena práctica clínica en geriatría. Decisiones terapéuticas difíciles en Alzheimer. Gil Gregorio, Pedro. Sociedad Española de Geriatría y Gerontología, 2012. www.segg.es/download.asp?/file=media/descargas/GBPCG%20DECISIONES%20ALZHEIMER.pdf
- Lucas Carrasco R. Spanish versión of the Geriatric Depression Scale: reliability and validity in persons with mild-moderate dementia. *Int Psychogeriatrics* 2012; 8: 1284-90.
- Holroyd MD, Anita H, Clayton MD. Measuring Depression in the elderly: Which scale is best? *Medscape General medicine*, 2000; 2 (4).

- Buz, J. (1996). Mini-GDS 8: Una nueva versión breve para ancianos institucionalizados. *Geriátrika*,12, 41-45.
- Jongenelis, K., Gerritsen, D. L., Pot, A. M., Beekman, A. T. F., Eisses, A. M. H., Kluiters, H., & Ribbe, M. W. (2007). Construction and validation of a patient- and user-friendly nursing home version of the Geriatric Depression Scale. *International Journal of Geriatric Psychiatry*, 22, 837-842.
- Clegg A, Young J, Iliffe S, Olde Rikkert M, Rockwood K. Frailty in elderly people. *Lancet* 2013; 381: 752–62.
- Morley JE, Vellas B, van Kan GA et al. Frailty consensus: a call to action. *J Am Med Dir Assoc* 2013; 14: 392–7.
- Desarrollo de guías de práctica clínica en pacientes con comorbilidad y pluripatología. Sociedad Española de Medicina Interna (SEMI), Sociedad Española de Medicina de Familia y Comunitaria (semFYC), Federación de Asociaciones de Enfermería Comunitaria y Atención Primaria (FAECAP). Abril, 2013..
- Jean Yves Le Reste et al. The European General Practice Research Network Presents a Comprehensive Definition of Multimorbidity in Family Medicine and Long Term Care, Following a Systematic Review of Relevant Literature. *JAMDA* 2013. Vol.14 (5): 319-25.
- Patient-Centered Care for Older Adults with Multiple Chronic Conditions: A Stepwise Approach from the American Geriatrics Society *J Am Geriatr Soc* 2012. Oct;60(10):1957-68.
<http://www.americangeriatrics.org/files/documents/MCC.stepwise.approach.pdf>
- Guiding Principles for the Care of Older Adults with Multimorbidity: An Approach for Clinicians. American Geriatrics Society Expert Panel on the Care of Older Adults with Multimorbidity. *J Am Geriatr Soc* 2012. Oct;60(10):E1-E25.
- <http://www.americangeriatrics.org/files/documents/MCC.principles.pdf>
- Sinclair et al. Diabetes Mellitus in Older People: Position Statement on behalf of the International Association of Gerontology and Geriatrics (IAGG), the European Diabetes Working Party for Older People (EDWPOP), and the International Task Force of Experts in Diabetes. *JAMDA* 2012. Vol 13: 497 – 502.
- Gómez Huelgas R, Díez-Espino J, Formiga F et al, Tratamiento de la diabetes tipo 2 en el paciente anciano. *Med Clin (Barc)*. 2013;140:134.e1-e12.
- Greg A. Sachs. Improving Prescribing Practices Late in Life. A Task for all

Clinicians, Not Just Nursing Home Physicians. *JAMA Intern Med.* Published online September 08, 2014. doi:10.1001/jamainternmed.2014.3277

- Jennifer Tjia, Becky A. Briesacher, Daniel Peterson, Qin Liu, Susan E Andrade, Susan L. Mitchell. Use of Medications of Questionable Benefit in Advanced Dementia. *JAMA Intern Med.* Published online September 08, 2014. doi:10.1001/jamainternmed.2014.4103
- Susan L. Mitchell, Michele L. Shaffer, Mark B. Loeb, Jane L. Givens, Daniel Habtemariam, Dan K. Kiely, Erika D'Agata. Infection Management and Multidrug-Resistant Organisms in Nursing Home Residents With Advanced Dementia. *JAMA Intern Med.* Published online August 18, 2014. doi:10.1001/jamainternmed.2014.3918
- Patrick G. Clay. Community Pharmacists Preventing Hospital Readmissions. *J Am Pharm Assoc.* 2014;54(2):208
- Lee JK, Slack MK, Martin J et al. Geriatric Patient Care by U.S. Pharmacists in Healthcare Teams: Systematic Review and Meta-Analyses. *J Am Geriatr Soc.* 2013. 61:1119-1127.
- Patterson SM, Hughes C, Kerse N, Cardwell CR, Bradley MC. Interventions to improve the appropriate use of polypharmacy for older people. *Cochrane Database of Systematic Reviews* 2012, Issue 5. Art. No.: CD008165. DOI: 10.1002/14651858.CD008165.pub2.
- Peris JF, Fernández E. Calidad farmacoterapéutica en el paciente geriátrico. Incorporación del farmacéutico al equipo interdisciplinar. En: Cuidados farmacéuticos en personas en situación de dependencia. Aspectos generales y farmacoterapia. Editorial Glosa, SL. 2009. (ISBN: 978-84-7429-418-7).
- Spinewine A, Fialova D and Byrne S. The Role of the Pharmacist in Optimizing Pharmacotherapy in Older People. *Drugs Aging* 2012; 29 (6): 495-510.
- Lang PO, Vogt-Ferrier N, Hasso Y et al. Interdisciplinary Geriatric and Psychiatric Care Reduces Potentially Inappropriate Prescribing in the Hospital: Interventional Study in 150 Acutely Ill Elderly Patients with Mental and Somatic Comorbid Conditions. *JAMDA* 13 (2012) 406.e1e406.e7.
- Holmes, HM. Polypharmacy. *Clinics in Geriatric Medicine*, 2012. Vol 28 N° 2.

EVALUACION DE LA ADECUACION DEL TRATAMIENTO DEL PACIENTE CRONICO COMPLEJO

Eva Delgado Silveira

- Unidad de pacientes pluripatológicos. Estándares y recomendaciones. Ministerio de Sanidad y Política Social, 2009.

- Estrategia para el Abordaje de la Cronicidad en el Sistema Nacional de Salud. Ministerio de Sanidad, Servicios Sociales e Igualdad. Sanidad 2012.
- Documento de consenso. Una aproximación multidisciplinar al problema de la adherencia terapéutica en las enfermedades crónicas: estado de la situación y perspectivas de futuro. Coordinadores: Pedro Conthe, Emilio Márquez Contreras. 2012
- Laboratorio de prácticas innovadoras en polimedicación y salud. Índice de adecuación de los medicamentos. Versión española modificada manual del usuario, 2012. Coordinador: Gavilán Moral E . (www.polimedicado.com)
- Elementos básicos del abordaje de la medicación en el paciente crónico: Información al paciente, conciliación, revisión y adherencia. Amado Guirado, Ester. SEFAP. 2012.
- Guía de recomendaciones para la atención de los pacientes polimedicados (GRAPP). Ana Jara Zozaya, Jerònia Miralles Xamena. Eugenia Carandell Jäger. Servei de Salut de les Illes Balears. 2010
- The American Geriatrics Society 2012 Beers Criteria Update Expert Panel. American Geriatrics Society Updated Beers Criteria for Potentially Inappropriate Medication Use in Older Adults. J Am Geriatr Soc 2012; 60(4): 616-31.
- By the American Geriatrics Society 2015 Beers Criteria Update Expert Panel. American Geriatrics Society 2015 Updated Beers Criteria for Potentially Inappropriate Medication Use in Older Adults. J Am Geriatr Soc. 2015 Oct 8. doi: 10.1111/jgs.13702. [Epub ahead of print] PubMed PMID: 26446832.
- AGS Beers criteria for potentially inappropriate medication use in older adults from the American Geriatrics Society. 2012. www.americangeriatrics.org. (Printable Beers Pocket Card)
- Alfaro Lara ER, Vega Coca MD, Galván Banqueri M, Marín Gil R, Nieto Martín MD, Pérez Guerrero C, Ollero Baturone M, Santos-Ramos B. Selection of tools for reconciliation, compliance and appropriateness of treatment in patients with multiple chronic conditions. Eur J Intern Med. 2012 Sep;23(6):506-12.
- Alldred DP, Raynor DK, Hughes C, Barber N, Chen TF, Spoor P. Interventions to optimise prescribing for older people in care homes. Cochrane Database Syst Rev. 2013 Feb 28;2:CD009095. doi: 10.1002/14651858.CD009095.pub2.
- Arvisais K, Bergeron-Wolff S, Bouffard C, Michaud AS, Bergeron J, Mallet L, Brazeau S, Joly-Mischlich T, Bernier-Filion N, Lanthier L, Ricard G, Rodrigue

MC, Cossette B. A Pharmacist-Physician Intervention Model Using a Computerized Alert System to Reduce High-Risk Medication Use in Elderly Inpatients. *Drugs Aging*. 2015 Aug;32(8):663-70. doi: 10.1007/s40266-015-0286-5.

- Barry PJ, Gallagher P, Ryan C, O'mahony D. START (screening tool to alert doctors to the right treatment)—an evidence-based screening tool to detect prescribing omissions in elderly patients. *Age and Ageing* 2007; 36: 632–638.
- Basger BJ, Chen TF and Moles RJ. Inappropriate Medication Use and Prescribing Indicators in Elderly Australians. Development of a Prescribing Indicators Tool. *Drugs Aging* 2008; 25 (9): 777-793
- Basger BJ, Moles RJ, Chen TF. Impact of an enhanced pharmacy discharge service on prescribing appropriateness criteria: a randomised controlled trial. *Int J Clin Pharm*. 2015 Aug 22. PMID: 26297239
- [Blanco-Reina E](#), [Ariza-Zafra G](#), [Ocaña-Riola R](#), [León-Ortiz M](#). 2012 American Geriatrics Society Beers criteria: enhanced applicability for detecting potentially inappropriate medications in European older adults? A comparison with the Screening Tool of Older Person's Potentially Inappropriate Prescriptions. *J Am Geriatr Soc*. 2014;62(7):1217-23.
- Bonnet-Zamponi D, et al. Drug-Related readmissions to medical units of older adults discharged from acute geriatric units: Results of the optimization of medication in AGED multicenter randomized controlled trial. *J Am Geriatr Soc* 2013; 61: 113-121.
- Brulhart MI, Wermeille JP. Multidisciplinary medication review: evaluation of a pharmaceutical care model for nursing homes. *Int J Clin Pharm* 2011; 33: 549-57.
- Cahir C, Bennett K, Teljeur C, Fahey T. Potentially inappropriate prescribing and adverse health outcomes in community dwelling older patients. *Br J Clin Pharmacol*. 2014;77(1):201-10.
- Castelino, R.L.; Bajorek, B.V.; Chen, T.F. Targeting suboptimal prescribing in the elderly: a review of the impact of pharmacy services. *Ann Pharmacother* 2009; 43(6): 1096-106.
- Castillo-Páramo A, Pardo-Lopo R, Gómez-Serranillos IR, Verdejo A, Figueiras A, Clavería A. Assessment of the appropriateness of STOPP/START criteria in primary health care in Spain by the RAND method. *Semergen*. 2013;39(8):413-20.
- Castillo-Páramo A, Clavería A, Verdejo [González A](#), Rey [Gómez-Serranillos I](#), Fernández-Merino MC, Figueiras A. Inappropriate prescribing according to the STOPP/START criteria in older people from a primary care setting. *Eur J Gen Pract*. 2014 Apr 4. (doi: 10.3109/13814788.2014.899349)

- Conejos, M.D.; Sánchez, M.; Delgado, E.; Sevilla, I.; González-Blazquez, S.; Montero, B.; Cruz-Jentoft, A.J. Potentially inappropriate drug prescription in older subjects across health care settings. *Eur Geriatr Med* 2010;1: 9-14.
- Cullinan S, O'Mahony D, Fleming A, Byrne S. A [meta-synthesis](#) of [potentially inappropriate prescribing](#) in [older patients](#). *Drugs Aging*. 2014;31(8):631-8.
- Chang, C.B., Chan, D.C. Comparison of published explicit criteria for potentially inappropriate medications in older adults. *Drugs Aging* 2010; 27(12): 947-57.
- Dalleur O, Spinewine A, Henrard S, Losseau C, Speybroeck N, Boland B. Inappropriate prescribing and related hospital admissions in frail older persons according to the STOPP and START criteria. *Drugs Aging*. 2012;29(10):829-37.
- Dalleur O, Boland B, Losseau C, Henrard S, Wouters D, Speybroeck N, Degryse JM, Spinewine A. Reduction of [potentially inappropriate medications](#) using the STOPP [criteria](#) in [frail older inpatients](#): A [randomised controlled study](#). *Drugs Aging*. 2014;31(4):291-8.
- Delgado, E.; Álvarez, A.; Pérez, C.; Muñoz, M.; Cruz-Jentoft, A.; Bermejo, T. Resultados de la integración de la atención farmacéutica en una Unidad de Agudos de Geriatria. *Rev Esp Geriatr Gerontol* 2012 47(2): 49–54.
- Delgado E, Muñoz M, Montero B, Sánchez A, Gallagher P, Cruz A. Prescripción inapropiada de medicamentos en los pacientes mayores: los criterios STOPP/START. *Rev Esp Geriatr Gerontol* 2009; 44 (5): 273-79.
- Delgado Silveira E, Montero Errasquín B, Muñoz García M, Vélez-Díaz-Pallarés M, Lozano Montoya I, Sánchez-Castellano C, Cruz-Jentoft AJ. [Improving drug prescribing in the elderly: a new edition of STOPP/START criteria]. *Rev Esp Geriatr Gerontol*. 2015 Mar-Apr;50(2):89-96. doi: 10.1016/j.regg.2014.10.005. Epub 2014 Nov 22. Spanish. PubMed PMID: 25466971.
- Delgado Silveira E, Fernandez-Villalba EM, García-Mina Freire M, Albiñana Pérez MS, Casajús Lagranja MP, Peris Martí JF. The impact of Pharmacy Intervention on the treatment of elderly multi-pathological patients. *Farm Hosp*. 2015 Jul 1;39(n04):192-202.
- Dimitrow MS, Airaksinen MS, Kivelä SL, Lyles A, Leikola SN. Comparison of prescribing criteria to evaluate the appropriateness of drug treatment in individuals aged 65 and older: a systematic review. *J Am Geriatr Soc*. 2011;59(8):1521-30.

- Filomena Paci J, García Alfaro M, Redondo Alonso FJ, Fernández San-Martín MI. Inappropriate prescribing in polymedicated patients over 64 years-old in primary care. *Aten Primaria*. 2014 Aug 8. pii: S0212-6567(14)00159-0. doi: 10.1016/j.aprim.2014.03.013.
- Gallagher P, Ryan C, Byrne S, Kennedy J and O'Mahony D. STOPP (Screening Tool of Older Person's Prescriptions) and START (Screening Tool to Alert doctors to Right Treatment). Consensus validation. *Int J Clin Pharmacol Ther*. 2008;46(2):72-83.
- Gallagher P, O'Mahony D. STOPP (Screening Tool of Older Persons' potentially inappropriate Prescriptions): application to acutely ill elderly patients and comparison with Beers' criteria *Age and Ageing* 2008; 37: 673-679
- Gallagher P, Baeyens JP, Topinkova E, Madlova P, Cherubini A, Gasperini B, Cruz-Jentoft A, Montero B, Lang PO, Michel JP, O'Mahony D. Inter-rater reliability of STOPP (Screening Tool of Older Persons' Prescriptions) and START (Screening Tool to Alert doctors to Right Treatment) criteria amongst physicians in six European countries. *Age Ageing* 2009; 38(5):603-6.
- Galván-Banqueri, M.; Santos-Ramos, B.; Vega-Coca, M.D.; Alfaro-Lara, E.R.; Nieto-Martín, M.D.; Pérez-Guerrero, C. Adecuación del tratamiento farmacológico en pacientes pluripatológicos. *Atenc primaria* 2012; 78 (6): 1-13.
- Galván-Banqueri M, Santos-Ramos B, Vega-Coca MD, Alfaro-Lara ER, Nieto-Martín MD, Pérez-Guerrero C. [Suitability of pharmacological treatment in patients with multiple chronic conditions]. *Aten Primaria* 2013;45(1):6-18.
- Galván-Banqueri M, González-Méndez AI, Alfaro-Lara ER, Nieto-Martín MD, Pérez-Guerrero C, Santos-Ramos B. [Evaluation of the appropriateness of pharmacotherapy in patients with high comorbidity]. *Aten Primaria* 2013;45(5):235-43.
- Gillespie, U.; Alassaad, A.; Henrohn, D.; Garmo, H.; Hammarlund-Udenaes, M.; Toss, H.; Kettis-Lindblad, A.; Melhus, H.; Mörlin, C. A comprehensive pharmacist intervention to reduce morbidity in patients 80 years or older. *Arch Intern Med* 2009; 169: 894-900.
- Gorgas MQ et al. Programa de atención farmacéutica integrada en pacientes con enfermedades crónicas. *Farm Hosp* 2012;36 (4):229-39.
- Grimes TC, Deasy E, Allen A, O'Byrne J, Delaney T, Barragry J, Breslin N, Moloney E, Wall C. Collaborative pharmaceutical care in an Irish hospital: uncontrolled before-after study. *BMJ Qual Saf*. 2014 Jul;23(7):574-83. doi: 10.1136/bmjqs-2013-002188. Epub 2014 Feb 6.

- Hanlon JT, Schmader KE, Samsa GP et al. A method for assessing drug therapy appropriateness. *J Clin Epidemiol.* 1992; 45 (10): 1045-1051
- Hanlon JT, Semla TP, Schmader KE. Alternative Medications for Medications in the Use of High-Risk Medications in the Elderly and Potentially Harmful Drug-Disease Interactions in the Elderly Quality Measures. *J Am Geriatr Soc.* 2015 Oct 8. doi: 10.1111/jgs.13807. [Epub ahead of print] PubMed PMID: 26447889.
- Hamdy, R.C.; Moore, S.W.; Whalen, K.; Donnelly, J.P.; Compton, R.; Testerman, F.; Haulsee, P.; Hughes, J. Reducing polypharmacy in extended care. *South Med J* 1995; 88(5): 534-8.
- Hamilton HJ, Gallagher P and O'Mahony D. Inappropriate prescribing and adverse drug events in older people. *BMC Geriatrics* 2009, 9:5.
- Hamilton H, Gallagher P, Ryan C, Byrne S, O'Mahony D. Potentially inappropriate medications defined by STOPP criteria and the risk of adverse drug events in older hospitalized patients. *Arch Intern Med.* 2011 13;171(11):1013-9.
- Hepler, C.D.; Strand, L.M. Oportunidades y responsabilidades en la Atención Farmacéutica. *Pharm Care Esp* 1999; 1(1): 35-47.
- Hill-Taylor B, Sketris I, Hayden J, Byrne S, O'Sullivan D, Christie R. Application of the STOPP/START criteria: a systematic review of the prevalence of potentially inappropriate prescribing in older adults, and evidence of clinical, humanistic and economic impact. *J Clin Pharm Ther.* 2013;38:360-72.
- Holt S, Schmiedl S, Thürmann P. Potentially inappropriate medications in the elderly: the PRISCUS List. *Dtsch Arztebl Int* 2010; 107 (31-32):543-51
- Hudhra K, García-Caballo M, Jucja B, Casado-Fernández E, Espigares-Rodríguez E, Bueno-Cavanillas A. Frequency of potentially inappropriate prescriptions in older people at discharge according to Beers and STOPP criteria. *Int J Clin Pharm.* 2014;36(3):596-603.
- Iniesta, C., Urbieto, E.; Gascón, J.J.; Rentero, L., García-Molina, S.; Cabello, A. Causas y factores asociados a la prescripción inapropiada en paciente anciano detectadas al ingreso hospitalario. Aplicación de los criterios STOPP/START. *Aten Farm* 2012; 14(2): 100-7.
- Lam MP, Cheung B MY. The use of STOPP/START criteria as a screening tool for assessing the appropriateness of medications in the elderly population. *Expert Rev Clin Pharmacol* 2012; 5(2): 187-97.

- Laroche, M.L.; Charmes, J.P.; Nouaille, Y.; Picard, N.; Merie L. Is inappropriate medication use a major cause of adverse drug reactions in the elderly?. *Br J Clin Pharmacol* 2007; 63(2): 177-86.
- Laroche, M.L.; Charmes, J.P.; Merle, L. Potentially inappropriate medications in the elderly: a French consensus panel list. *Eur J Clin Pharmacol* 2007; 63(8): 725-31.
- Lozano-Montoya I, Vélez-Díaz-Pallarés M, Delgado-Silveira E, Montero-Errasquin B, Cruz Jentoft AJ. Potentially inappropriate prescribing detected by STOPP-START criteria: are they really inappropriate? *Age Ageing*. 2015 Sep;44(5):861-6. doi: 10.1093/ageing/afv079. Epub 2015 Jul 13. PubMed PMID: 26175348.
- Mann E, Böhmendorfer B, Frühwald T, Roller-Wirnsberger RE, Dovjak P, Dückelmann-Hofer C, Fischer P, Rabady S, Iglseder B. Potentially inappropriate medication in geriatric patients: the Austrian consensus panel list. *Wien Klin Wochenschr*. 2012;124(5-6):160-9.
- Maggio M, et al. Proton pump inhibitors and risk of 1-year mortality and rehospitalization in older patients discharged from acute care hospitals. *JAMA Intern Med*. 2013 Apr 8;173(7):518-23.
- Martin P, Tamblyn R, Ahmed S, Benedetti A, Tannenbaum C. A consumer-targeted, pharmacist-led, educational intervention to reduce inappropriate medication use in community older adults (D-PRESCRIBE trial): study protocol for a cluster randomized controlled trial. *Trials*. 2015 Jun 10;16:266. doi: 10.1186/s13063-015-0791-1.
- McMahon CG et al. Inappropriate prescribing in older fallers presenting to an Irish emergency department. *Age and Ageing* 2013;0:1-7.
- Mimica Matanovic S, Vlahovic-Palcevski V. Potentially inappropriate medication in the elderly: a comprehensive protocol. *Eur J Clin Pharmacol* 2012; 68: 1123-1138.
- O'Connor MN, Gallagher P and O'Mahony D. Inappropriate Prescribing Criteria, Detection and Prevention. *Drugs Aging* 2012; 29 (6): 437-452.
- O'Mahony D, O'Sullivan D, Byrne S, O'Connor MN, Ryan C, Gallagher P. STOPP/START criteria for potentially inappropriate prescribing in older people: version 2. *Age Ageing*. 2015 Mar;44(2):213-8. doi: 10.1093/ageing/afu145. Epub 2014 Oct 16. PubMed PMID: 25324330; PubMed Central PMCID: PMC4339726.

- Onder G, van der Cammen TJ, Petrovic M, Somers A, Rajkumar C. Strategies to reduce the risk of iatrogenic illness in complex older adults. *Age Ageing*. 2013;42(3):284-91.
- O'Sullivan D, O'Mahony D, O'Connor MN, Gallagher PF, Cullinan S, O'Sullivan R et al. The impact of a structured pharmacist intervention of the appropriateness of prescribing in older hospitalized patients. *Drugs Aging*. 2014;31(6):471-81.
- Patterson SM, Hughes C, Kerse N, Cardwell CR, Bradley MC. Interventions to improve the appropriate use of polypharmacy for older people. *Cochrane Database of Syst Rev*. 2012, Issue 5. Art. No.: CD008165. DOI:10.1002/14651858.CD008165.pub2.
- [Parodi López N](#), [Villán Villán YF](#), [Granados Menéndez MI](#), [Royuela A](#). Potentially inappropriate prescribing in patients over 65 years-old in a primary care health centre. *Aten Primaria*. 2014;46(6):290-7.
- Peterson JF, Kripalani S, Danciu I, Harrell D, Marvanova M, Mixon AS, Rodriguez C, Powers JS. Electronic surveillance and pharmacist intervention for vulnerable older inpatients on high-risk medication regimens. *J Am Geriatr Soc*. 2014 Nov;62(11):2148-52. doi: 10.1111/jgs.13057. Epub 2014 Nov 3.
- PL Detail-Document, STARTing and STOPPING Medications in the Elderly. Pharmacist's Letter/Prescriber's Letter. September 2011.
- Reboredo-García S, Mateo CG, Casal-Llorente C. Implantation of a program for polymedicated patients within the framework of the Galician Strategy for Integrated Chronic Care. *Aten Primaria*. 2014 Jun;46 Suppl 3:33-40. doi: 10.1016/S0212-6567(14)70063-0.
- Ryan C, O'Mahony D, Byrne S. Application of STOPP and START criteria: interrater reliability among pharmacists. *Ann Pharmacother*. 2009;43(7):1239-44.
- Santos-Ramos B, Otero López MJ, Galván-Banqueri López M, Alfaro-Lara ER, Vega-Coca MD, Nieto-Martín MD, Ollero-Baturn M. [Health care models for patients with multiple chronic conditions and the role of the hospital pharmacy/the hospital pharmacist]. *Farm Hosp*. 2012 Nov;36(6):506-17.
- Scott I and Jayathissa S. Quality in drug prescribing in older patients: is there a problem and can we improve it?. *Internal Medicine Journal* 2010; 40: 7-18
- Silva C, Ramalho C, Luz I, Monteiro J, Fresco P. Drug-related problems in institutionalized, polymedicated elderly patients: opportunities for pharmacist intervention. *Int J Clin Pharm*. 2015 Apr;37(2):327-34. doi: 10.1007/s11096-014-0063-2. Epub 2015 Jan 31.

- Spinewine, A.; Swine, C.; Dhillon, S.; Lambert, P.; Nachegea, J.B.; Wilmotte, L. ; Tulkens, P.M. Effect of a collaborative approach on the quality of prescribing for geriatric inpatients: a randomized, controlled trial. *J Am Geriatric Soc* 2007a; 55: 658-65.
- Spinewine, A.; Schmader, K.; Barber, N.; Hughes, C.; Swine, C.; Hanlon, J.T. Appropriate prescribing in elderly people: how well can it be measured and optimised? *The Lancet* 2007; 370(9582): 173-84.
- Spinewine A, Fialová D, Byrne S. The role of the pharmacist in optimizing pharmacotherapy in older people. *Drugs Aging*. 2012 Jun 1;29(6):495-510.
- Tommelein E, Mehuys E, Petrovic M, Somers A, Colin P, Boussery K. Potentially inappropriate prescribing in community-dwelling older people across Europe: a systematic literature review. *Eur J Clin Pharmacol*. 2015 Sep 26. [Epub ahead of print] PubMed PMID: 26407687.
- Tosato M, Landi F, Martone AM, Cherubini A, Corsonello A, Volpato S, et al. Potentially inappropriate drug use among hospitalised older adults: results from the CRIME study. *Age Ageing*. 2014 Mar 17. [Epub ahead of print]
- Vélez-Díaz-Pallarés M, Delgado-Silveira E, Cruz-Jentoft AJ. [Comments on the second Spanish version of the STOPP-START criteria: Reply]. *Rev Esp Geriatr Gerontol*. 2015 Nov-Dec;50(6):301. doi: 10.1016/j.regg.2015.06.003. Epub 2015 Jul 18. Spanish. PubMed PMID: 26198872.
- Verdoorn S, Kwint HF, Faber A, Gussekloo J, Bouvy ML. Majority of drug-related problems identified during medication review are not associated with STOPP/START criteria. *Eur J Clin Pharmacol*. 2015 Oct;71(10):1255-62. doi: 10.1007/s00228-015-1908-x. Epub 2015 Aug 7.
- Wenger, N.S.; Shekelle, P.G. ACOVE investigators. Assessing care of vulnerable elders: ACOVE project overview. *Ann Intern Med* 2001; 135: 642-6.
- Wenger, N.S.; Solomon, D.H.; Roth, C.P.; MacLean, C.H.; Saliba, D.; Kamberg, C.J.; Rubenstein, L.Z.; Young, R.T.; Sloss, E.M.; Louie, R.; Adams, J.; Chang, J.T.; Venus, P.J.; Schnelle, J.F.; Shekelle, P.G. The quality of medical care provided to vulnerable community-dwelling older patients. *Ann Intern Med* 2003;139: 740-7.
- Yeste-Gómez I, Durán-García ME, Muiño-Miguez A, Gómez-Antúnez M, López-Berastegui O, Sanjurjo-Sáez M. Prescripciones potencialmente inapropiadas en el tratamiento ambulatorio de pacientes ancianos. *Rev Calid Asist* 2014; 29(1):22-8.

ESTRATEGIAS DE OPTIMIZACION FARMACOTERAPEUTICA EN SITUACIONES CLINICAS CONTROVERTIDAS

Daniel Sevilla Sánchez

- Gómez, C. et al. Polypharmacy in the Elderly: A Marker of Increased Risk of Mortality in a Population-Based Prospective Study (NEDICES). *Gerontology* 61, 301–309 (2015).
- Mossello, E. et al. Effects of Low Blood Pressure in Cognitively Impaired Elderly Patients Treated With Antihypertensive Drugs. *JAMA Intern. Med.* 175, 578–585 (2015).
- Holmes, H. M. et al. Integrating palliative medicine into the care of persons with advanced dementia: identifying appropriate medication use. *J. Am. Geriatr. Soc.* 56, 1306–11 (2008).
- Herr, M., Robine, J.-M., Pinot, J., Arvieu, J.-J. & Ankri, J. Polypharmacy and frailty: prevalence, relationship, and impact on mortality in a French sample of 2350 old people. *Pharmacoepidemiol. Drug Saf.* 24, 637–646 (2015).
- Scott, I. a. et al. Reducing Inappropriate Polypharmacy. The Process of Deprescribing. *JAMA Intern. Med.* 175, 827–834 (2015).
- Ouyang, A. et al. Meta-Analysis of Digoxin Use and Risk of Mortality in Patients With Atrial Fibrillation. *Am. J. Cardiol.* 115, 901–906 (2015).
- Gray, S. L. et al. Cumulative Use of Strong Anticholinergics and Incident Dementia. A Prospective Cohort Study. *JAMA Intern. Med.* 175, 401–407 (2015).
- Ziff, O. J. et al. Safety and efficacy of digoxin: systematic review and meta-analysis of observational and controlled trial data. *BMJ* 351, h4451 (2015).
- Bauman, J. L., DiDomenico, R. J., Viana, M. & Fitch, M. A method of determining the dose of digoxin for heart failure in the modern era. *Arch. Intern. Med.* 166, 2539–45 (2006).
- Lipska, K. J. et al. Potential Overtreatment of Diabetes Mellitus in Older Adults with Tight Glycemic Control. *JAMA Intern. Med.* 175, 356–62 (2015).
- Moulis, F. et al. Searching for a Polypharmacy Threshold Associated With Frailty. *J. Am. Med. Dir. Assoc.* 16, 258–61 (2015).
- Sue Kirkman, M. et al. Diabetes in older adults: a consensus report. *J. Am. Geriatr. Soc.* 60, 2342–56 (2012).
- Gregorio Gil, P. et al. Guía de buena práctica clínica en Geriatria: decisiones terapéuticas difíciles en Alzheimer. *Sociedad Española de Geriatria y Gerontología.* (2012).
- Vamos, M., Erath, J. W. & Hohnloser, S. H. Digoxin-associated mortality: a systematic review and meta-analysis of the literature. *Eur. Heart J.* doi:10.109, in press (2015).
- González-castillo, J., Martín-, F. J., Mujal, A. & Navas, E. Consensus document Guidelines for the management of community- acquired pneumonia in the elderly patient. *Rev Esp Quim.* 27, 69–86 (2014).
- Wastesson, J. W., Canudas-romo, V., Lindahl-jacobsen, R. & Johnell, K. Remaining Life Expectancy With and Without Polypharmacy: A Register-Based Study of Swedes Aged 65 Years and Older. *J. Am. Med. Dir. Assoc.* doi: 10.10, in press (2015).

- Sardar, P., Chatterjee, S., Chaudhari, S. & Lip, G. Y. New Oral Anticoagulants in Elderly Adults : Evidence from a Meta-Analysis of Randomized Trials. *J. Am. Geriatr. Soc.* 62, 857–864 (2014).
- Benetos, A. et al. Treatment With Multiple Blood Pressure Medications, Achieved Blood Pressure, and Mortality in Older Nursing Home Residents. *JAMA Intern. Med.* 175, 989–995 (2015).
- Nishtala, P. S. & Salahudeen, M. S. Temporal Trends in Polypharmacy and Hyperpolypharmacy in Older New Zealanders over a 9-Year Period: 2005-2013. *Gerontology* 61, 195–202 (2015).
- Odden, M. C., Beilby, P. R. & Peralta, C. a. Blood Pressure in Older Adults: the Importance of Frailty. *Curr. Hypertens. Rep.* 17, 55 (2015).
- Payne, R. A. et al. Prevalence of polypharmacy in a Scottish primary care population. *Eur. J. Clin. Pharmacol.* 70, 575–81 (2014).
- Billioti, S., Gage, D., Moride, Y. & Ducruet, T. Benzodiazepine use and risk of Alzheimer’s disease: case-control study. *BMJ* 349, g5205 (2014).
- Scottish Government Model of Care Polypharmacy Working Group. Polypharmacy Guidance 2nd Edition. (2015).
- BS, C. & Lang, A. Pharmacological Treatment of Parkinson Disease. *JAMA* 311, 1670–1683 (2014).
- Dauphinot, V. et al. Exposure to Anticholinergic and Sedative Drugs, Risk of Falls, and Mortality. An Elderly Inpatient, Multicenter Cohort. *J. Clin. Psychopharmacol.* 34, 565–570 (2014).
- Gussekloo, J. Thyroid Status, Disability and Cognitive Function, and Survival in Old Age. *JAMA* 292, 2591 (2004).
- Trelle, S. et al. Cardiovascular safety of non-steroidal anti-inflammatory drugs: network meta-analysis. *BMJ* 342, c7086 (2011).
- Transient, H. & Death, D. Care homes - Medication and falls. 1–13 (2014).
-