

GUÍA DE CONSENSO INTERNACIONAL PARA AJUSTE DE DOSIS DE FÁRMACOS ANTINEOPLÁSICOS EN PACIENTES CON INSUFICIENCIA RENAL

International consensus guideline on anticancer drug dosing in kidney dysfunction. 2022. eviQ, Cancer Institute NSW

Anticancer drug dose recommendations in kidney dysfunction						
Drug	Strength of statement	eGFR (mL/min/1.73 m²)				
		45–59	30–44	15–29	< 15 (without KRT)	KRT
Azacitidine	●	✓	✓	👁️	👤	👤
Bendamustine	●	✓	✓	👁️	👁️	👤
Bevacizumab	●	👁️	👁️	👁️	👁️	👤
Bleomycin	●	👁️	⚠️	⚠️	✖️	👤
Bortezomib	●	✓	✓	👁️	👁️	👤
Cabazitaxel	●	✓	✓	✓	👁️	👤
Capecitabine	●	⚠️	⚠️	✖️	✖️	👤
Carboplatin	●	C	C	C	👤	👤
Cetuximab	●	✓	✓	✓	✓	👤
Chlorambucil	●	✓	👁️	👁️	👤	👤
Cisplatin	●	⚠️	✖️	✖️	✖️	👤
Cyclophosphamide	●	✓	✓	⚠️	👤	👤
Cytarabine (< 1000 mg/m²)	●	✓	✓	✓	✓	👤
Cytarabine (≥ 1000 mg/m²)	●	⚠️	⚠️	✖️	✖️	👤
Dabrafenib	●	✓	✓	✓	👤	👤
Dacarbazine	●	✓	✓	⚠️	👤	👤
Dactinomycin	●	👁️	👁️	👁️	👤	👤
Daunorubicin (including liposomal daunorubicin)	●	👁️	👁️	⚠️	👤	👤
Docetaxel	●	✓	✓	✓	✓	👤
Doxorubicin	●	✓	✓	✓	✓	👤
Doxorubicin (pegylated liposomal)	●	✓	✓	👁️	👤	👤
Durvalumab	●	✓	✓	✓	✓	👤
Epirubicin	●	✓	✓	✓	👤	👤
Etoposide (including etoposide phosphate)	●	👁️	⚠️	⚠️	👤	👤
Everolimus	●	👁️	👁️	👁️	👤	👤



GUÍA DE CONSENSO INTERNACIONAL PARA AJUSTE DE DOSIS DE FÁRMACOS ANTINEOPLÁSICOS EN PACIENTES CON INSUFICIENCIA RENAL

Fludarabine	●	⚠	⚠	✖	✖	👤
Fluorouracil	◐	⚠	⚠	⚠	👤	👤
Gemcitabine	◐	👁	👁	👁	👤	👤
Idarubicin	◐	✓	✓	⚠	👤	👤
Ifosfamide	◐	👁	⚠	⚠	👤	👤
Irinotecan	◐	👁	👁	⚠	👤	👤
Lenalidomide	●	⚠	⚠	⚠	⚠	👤
Melphalan	◐	⚠	⚠	⚠	👤	👤
Mercaptopurine	◐	⚠	⚠	⚠	👤	👤
Methotrexate	●	⚠	⚠	✖	✖	👤
Mitomycin	◐	👁	👁	✖	✖	👤
Nivolumab	●	✓	✓	✓	✓	👤
Obinutuzumab	●	👁	👁	⚠	👤	👤
Oxaliplatin	◐	✓	✓	⚠	👤	👤
Paclitaxel	●	✓	✓	✓	👁	👤
Paclitaxel (nab)	◐	✓	✓	👁	👤	👤
Panitumumab	●	✓	✓	✓	✓	👤
Pembrolizumab	●	✓	✓	✓	✓	👤
Pemetrexed	◐	👁	⚠	✖	✖	👤
Pertuzumab	◐	✓	✓	✓	✓	👤
Procarbazine	◐	✓	⚠	⚠	👤	👤
Raltitrexed	●	⚠	⚠	✖	✖	👤
Rituximab	◐	✓	✓	✓	✓	👤
Temozolomide	◐	✓	✓	👁	👤	👤
Thalidomide	●	✓	✓	👁	👁	👤
Thiotepa	◐	👁	👁	👁	👤	👤
Topotecan	●	⚠	⚠	✖	✖	👤
Trastuzumab	◐	✓	✓	✓	✓	👤
Trastuzumab emtansine	◐	✓	✓	✓	✓	👤
Venetoclax	●	👁	👁	⚠	⚠	👤
Vinblastine	●	✓	✓	✓	✓	👤
Vincristine	●	✓	✓	✓	✓	👤
Vindesine	●	✓	✓	✓	✓	👤
Vinflunine	◐	⚠	⚠	⚠	👤	👤
Vinorelbine	●	✓	✓	✓	✓	👤

✓ Full dose

👁 Full dose with monitoring for adverse events

⚠ Dose reduction and/or alternative protocol and/or full dose in certain situations

👤 Target AUC using Calvert formula

✖ Avoid and consider an alternative protocol

👤 Consult a multidisciplinary team consisting of oncology/haematology with nephrology and/or clinical pharmacology for the management of dosing

● Recommended (strength of statement is strong and most patients should receive the recommended course of action)

◐ Suggested (strength of statement is conditional as different choices will be appropriate for different patients)

GUÍA DE CONSENSO INTERNACIONAL PARA AJUSTE DE DOSIS DE FÁRMACOS ANTINEOPLÁSICOS EN PACIENTES CON INSUFICIENCIA RENAL

International consensus guideline on anticancer drug dosing in kidney dysfunction. 2022. eviQ, Cancer Institute NSW




Resumen de los cambios clave



Calculadora dosis carboplatino



Guía y más recursos



International Consensus Guideline for Anticancer Drug Dosing in Kidney Dysfunction (ADDIKD)

2022



eviQ